

Click Here



shaft_V 2019-06-12 02:41:10 ;>>>form.responseform->APP... , response.getWriter().write(form) ... jsp.form., VUE, ... ? try {form = alipayClient.pageExecute(alipayRequest).getBody(); //SDK} catch (AlipayApiException e) {e.printStackTrace();} httpResponse.setContentType("text/html;charset=" + CHARSET);httpResponse.getWriter().write(form);//htmlHttpResponse.getWriter().flush();httpResponse.getWriter().close();} ... >>_> #include#includeint main(){ int fd; if(fd=creat("file1.c",S_IWXU)==-1){ perror("creat error!"); exit(0); } else{ /int fd=open("file1.c",O_RDWR); if(write(fd,"ni hao !",sizeof("ni hao !")-1)==-1){ perror("write error!"); exit(0); }else{ if(write(fd,"jiangdunchuan !",sizeof("jiangdunchuan !"))==-1){ perror("error !"); exit(0); } printf("successful!"); } char buff[100]; //int fd2=open("file1.c",O_RDWR); if(read(fd,buff,100)==-1){ perror("read error!"); exit(0); }else{ printf("%s",buff); printf("ok"); } } } return 0;} read error !: Bad file descriptorfd2readread(fd2,buff,100)==-1 ... >>_>

How to write an experiment plan. What is an experimental plan. How to write an experimental design. Experimental plan example.